

A <sub>1</sub>	Approved For Release 2009/03/18 : CIA-RDP83-01074R000300280019-8  TOP SECRET RUFF					
	(c) NATIONAL PHOTOGRAI	PHIC INTERPRETATIO	N CENTER	25X1		
		Attachmen	t to N-8416/74	25X1		
·			28 January 1974 Page <u>1</u> of <u>5</u>	~		
•			Copy			
RE FE REN	CE TO:	AND GIANT REACH	4	25X15X		
	÷	PROBABLE DUMMY SA-6 EQUIPMENT EGYPT				
1. SIG	NIFICANCE:	FIRST DEPLOYMEN	NT OF PROBABLE			
		DUMMY SA-6 EQUI	IPMENT IN EGYPT.			
2. LOC	ATION:	CAIRO BARRACKS	AND ARMY SUPPLY			
	- <del></del>	DEPOT HULWAN		25X		
	·	IS 2 NAUTICAL	MILES (NM) NORTH-			
		NORTHWEST OF HULWAN AT 29-52-53N				
		031-18-07E.				
		AS SUWAYS SAM SITE C30-6 (NPIC				
1		SITE 722)	) IS	25 <b>X</b>		
		23NM WEST-NORTH	HWEST OF AS SUWAYS			
		AT 30-10-20N 0	32-07-35E.			
		The area of this is	Missions are extremely sensitive. magery will be limited to essential gence, targeting, and contingency es. The imagery will not be used in mal intelligence publications which nated at the SECRET classification level.			
These notes have been should be restricted to the p	prepared for briefing purposes only and should not be particular briefing boards (s) they were prepared for a by the date of issue. For information concerning thes	nd must be considered valid only for the	e re-  and Methods involvedy  Dissemination Restricted			
	TOP S	ECRET RUFF		25X1 25X1		

Approved For Release 2009/03/18 : CIA-RDP83-01074R000300280019-8

## TOP SECRET RUFF

25X1 25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Attachment to N-8416/74

25X1

28 January 1974 Page 2 of 5

## 3. REMARKS:

ALTHOUGH THE DUMMY STRAIGHT FLUSH RADAR RESEMBLES A REAL STRAIGHT FLUSH, THE TWO CAN BE DIFFERENTIATED ON GOOD QUALITY PHOTOGRAPHY BY DIS-TINCTIVE FEATURES. THE DISH ON THE DUMMY STRAIGHT FLUSH APPEARS TO BE MOUNTED ON A HIGHER PEDESTAL WHICH LACKS THE YOKE AND BULKINESS OF A REAL STRAIGHT FLUSH. THE SHADOW CAST FROM THE DISH ON A DUMMY STRAIGHT FLUSH IS PROMINENT. AND THE ANTENNA CONFIGURATION IS OBVIOUS. ON THE REAL STRAIGHT FLUSH, THE BULKINESS OF THE PEDESTAL AND THE CONCENTRATIONS OF THE ANTENNAS CAST A SHADOW WHICH LACKS DETAIL AND PREVENTS

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Imagery Exploitation Group NPIC.

TOP SECRET RUFF

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER  Attachment to N-8416/74  28 January 1974 Page 3 of 5  DETERMINATION OF ANTENNA  CONFIGURATION. WHEN A REAL  STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT (A VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  These notes have been prepared for binding purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular binding boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning three notes contact Could. Imagery Exploitation  Group NPC.		P SECRET RUFF
Attachment to N-8416/74  28 January 1974 Page 3 of 5  DETERMINATION OF ANTENNA  CONFIGURATION. WHEN A REAL  STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT:  PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON  ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON  THEE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered wide only for the new performance occurring brief as indicated by the darks of the charge of the property of the new porting period as indicated by the darks of the charge of the property of the new porting period as indicated by the darks of the property of the new porting period as indicated by the darks of the property period in dicated by the darks of the property period in dicated by the darks of the property period	(-) NATIONAL DISCORD	
DETERMINATION OF ANTENNA  CONFIGURATION. WHEN A REAL  STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT:  PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON  ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON  THEE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing pounds (s) they were prepared for and must be considered with for the have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing pounds (s) they were prepared for and must be considered with the transport pounds in dicketed by the data closed by the dicketed by the data closed by the dicketed by the data closed for the control of the transport pounds in dicketed by the data closed for the data closed by the	(c) NATIONAL PHOTO	GRAPHIC INTERPRETATION CENTER
DETERMINATION OF ANTENNA  CONFIGURATION. WHEN A REAL  STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).		Attachment to N-8416/74
CONFIGURATION. WHEN A REAL  STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered wided only for the perpared for and must be considered wided only for the perpared for and must be considered wided only for the perpared for and must be considered with only for the perpared for and must be considered with only for the perpared for and must be considered with only for the perpared for the perpared for and must be considered with only for the perpared for the perpared for and must be considered with only for the perpared for the perpared for the perpared for and must be considered with only for the perpared for the perpared for the perpared for and must be considered with only for the perpared for the perpa		28 January 1974 Page <u>3</u> of <u>5</u>
STRAIGHT FLUSH RADAR IS PRESENT,  ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use		DETERMINATION OF ANTENNA
ASSOCIATED EQUIPMENT & VAN  AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the re-  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the re-  The property of the particular briefing boards (s) they were prepared for and must be considered valid only for the re-  The property of the particular briefing boards (s) they were prepared for and must be considered valid only for the re-		CONFIGURATION. WHEN A REAL
AND TRUCK) IS OBSERVED. AN  ATTEMPT IS MADE TO CONCEAL/  CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period as indicated by the date of issue. For information concerning these notes considered valid only for the tes-  proving period for the information concerning these notes considered valid only for the test-  the concerns the concerns the considered valid only for the test-  the concerns the concerns the considered valid only for the test-  the concerns the concerns the concerns the considered valid only for the test-  the concerns the concerns the concerns the concerns the considered valid only for the test-  the concerns t		STRAIGHT FLUSH RADAR IS PRESENT,
ATTEMPT IS MADE TO CONCEAL/ CAMOUFLAGE THIS EQUIPMENT BY NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT WAS OBSERVED IN EGYPT ON ON THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER- ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered wind only for the reporting period as indicated by the date of size. For information concerning these notes contact Productions.	•	ASSOCIATED EQUIPMENT (A VAN
CAMOUFLAGE THIS EQUIPMENT BY  NETTING.  MISSION READOUT: PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON , THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered vided only for the reporting period as indicated by the date of issue. For information concerning these notes considered vided only for the re-  porting period as indicated by the date of issue. For information concerning these notes considered vided only for the re-		AND TRUCK) IS OBSERVED. AN
MISSION READOUT:  PROBABLE DUMMY SA-6 EQUIPMENT  WAS OBSERVED IN EGYPT ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON  THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact (brief largest Evolution)		ATTEMPT IS MADE TO CONCEAL/
MISSION READOUT:  PROBABLE DUMMY SA-6 EQUIPMENT  ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON  THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Impages Explainting		CAMOUFLAGE THIS EQUIPMENT BY
WAS OBSERVED IN EGYPT ON  THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON  THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered waiting only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Impages the production.		NETTING.
THE FIRST DEPLOYMENT OF THIS EQUIPMENT WAS SEEN  ON, THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Images. Evolutions.	MISSION READOUT:	PROBABLE DUMMY SA-6 EQUIPMENT
ON, THREE PROBABLE DUMMY STRAIGHT  FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER-  ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON	WAS OBSERVED IN EGYP	T ON ON
FLUSH RADARS AND TWO POSSIBLE DUMMY SA-6 TRANSPORTER- ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Imagent Evaluation.	THE FIR	ST DEPLOYMENT OF THIS EQUIPMENT WAS SEE
ERECTOR-LAUNCHERS (TELS) WERE IDENTIFIED AT CAIRO BARRACKS  AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Impropries Evolutions.	ON	, THREE PROBABLE DUMMY STRAIGHT
AND ARMY SUPPLY DEPOT HULWAN (N-8416/74).  ON  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Improve Evolutions.	FLUSH RADARS AND TWO	POSSIBLE DUMMY SA-6 TRANSPORTER-
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Imagery Evolutions	ERECTOR-LAUNCHERS (T	ELS) WERE IDENTIFIED AT CAIRO BARRACKS
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief. Improp. Explainting	AND ARMY SUPPLY DEPO	T HULWAN (N-8416/74).
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards (s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief Imagery Explainting		
porting period as indicated by the date of issue. For information concerning these notes contact Chief Imagery Exploitation	ON	
porting period as indicated by the date of issue. For information concerning these notes contact Chief Imagery Exploitation		
porting period as indicated by the date of issue. For information concerning these notes contact Chief Imagery Exploitation		
	These notes have been prepared for briefing pure	Doses only and should not be used for detailed contained and the used for detailed

Approved For Release 2009/03/18 : CIA-RDP83-01074R000300280019-8

Approved For Release	2009/03/18 : CIA-RDP83-0107	74R000300280019-8	25X
(c) NATIONAL D			25X
(c) NATIONAL P.	HOTOGRAPHIC INTERPRETA	ATION CENTER	
	Attachr	ment to N-8416/74	25X
			25/
•		28 January 1974 Page <u>4</u> of <u>5</u>	
•			
	<u> </u>		25X
HOTO REFERENCES:	·		
			2
These notes have been prepared for b should be restricted to the particular brief	oriefing purposes only and should not be used for det fing boards (s) they were prepared for and must be o f issue. For information concerning these notes conta	considered valid only for the	

Approved For Release 2009/03/18 : CIA-RDP83-01074R000300280019-8

TOP SECRET RIIFE

